

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CAB FORWARD, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
71.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: KL4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TILT CAB	COMPLY
TRIM LEVEL	COMPLY
MFG. MODEL CODE	KL04500
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000

Cab to Axle

CAB TO AXLE, INCHES	84
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/4.5
HORSEPOWER (min)	200
TORQUE (lb ft)	440
COOLING SYSTEM	COMPLY

Engines

DIESEL ENGINE	COMPLY
---------------	--------

Engine Accessories

ENGINE BLOCK HEATER, OEM	COMPLY
--------------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPD
------------------------	-------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	135
BATTERY, MIN. (CCA)	1800

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, CAB FORWARD, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

Fuel			
	FUEL CAPACITY MIN GALLONS	40	
Exterior			
	EXTRA WIDE MIRRORS	COMPLY	
Doors and Windows			
	DOORS	2	
	WIPERS-WINDSHIELD-INTERMITTENT	COMPLY	
Lights and Lighting			
	DAYTIME RUNNING LIGHTS	COMPLY	
Interior			
	AIR CONDITIONING	COMPLY	
	POWER STEERING	COMPLY	
	UPHOLSTERY	COMPLY	
Floor			
	FLOOR COVERING	COMPLY	
Radio			
	AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY	
Seats			
	SEATING CAPACITY min.	3	
	SPLIT FRONT BENCH SEAT	COMPLY	
Safety			
	POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY	
	RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY	
	FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	N/A	
Suspension			
	SUSPENSION/SHOCKS	COMPLY	
Tires and Wheels			
	LOAD RANGE	F	
	SPARE TIRE ASSEMBLY	FULL SIZE	
	TIRES	225/70R19.5	
Warranty			
	OEM CORROSION WARRANTY	3/36,000	
	OEM POWERTRAIN WARRANTY	3/36,000	
	OEM COMPREHENSIVE WARRANTY	3/36,000	

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR	INCREASE GVWR	_____	N/A	\$_____
Cab to Axle				
CA1	CAB TO AXLE LENGTH 108 IN	_____	Stand Alone	\$_____

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, CAB FORWARD, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

CA4	CAB TO AXLE LENGTH 120 IN	_____	Stand Alone	\$ _____
Engines				
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER ENGINE	_____	NA,NA,NA	\$ _____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	N/A	\$ _____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	N/A	\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	\$ _____
Exterior				
SP	SKID PLATE	_____	N/A	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
DA	DELETE AIR CONDITIONING	_____	Stand Alone	\$ _____
SK	METRIC ODOMETER	_____	Stand Alone	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Standard	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
Tires and Wheels				
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	\$ _____
Towing				
FTH	FRONT TOW HOOKS	_____	Stand Alone	\$ _____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	\$ _____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	\$ _____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	N/A	\$ _____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	\$ _____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	N/A	\$ _____
DDRG	DEALER DELIVERY GUAM	_____	N/A	\$ _____
DDRH	DEALER DELIVERY HAWAII	_____	N/A	\$ _____

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, CAB FORWARD, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

DDRP	DEALER DELIVERY PUERTO RICO	_____	N/A	\$_____
-------------	-----------------------------	-------	-----	---------

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$_____
-------------	-----------------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
------------	----------------------	-------	-------------	---------

PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	\$_____
------------	---------------------------	-------	-------------	---------

PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	\$_____
-------------	---	-------	-------------	---------

PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____
-------------	---	-------	-------------	---------

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CAB FORWARD, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
71A.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: KL5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TILT CAB	COMPLY
TRIM LEVEL	COMPLY
MFG. MODEL CODE	KL05500
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	19500

Cab to Axle

CAB TO AXLE, INCHES	86
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/4.5
HORSEPOWER (min)	200
TORQUE (lb ft)	440
COOLING SYSTEM	COMPLY

Engines

DIESEL ENGINE	COMPLY
---------------	--------

Engine Accessories

ENGINE BLOCK HEATER, OEM	COMPLY
--------------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPD
------------------------	-------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	135
BATTERY, MIN. (CCA)	1800

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, CAB FORWARD, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

Fuel			
	FUEL CAPACITY MIN GALLONS	40	
Exterior			
	EXTRA WIDE MIRRORS	COMPLY	
Doors and Windows			
	DOORS	2	
	WIPERS-WINDSHIELD-INTERMITTENT	COMPLY	
Lights and Lighting			
	DAYTIME RUNNING LIGHTS	COMPLY	
Interior			
	AIR CONDITIONING	COMPLY	
	POWER STEERING	COMPLY	
	UPHOLSTERY	COMPLY	
Floor			
	FLOOR COVERING	COMPLY	
Radio			
	AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY	
Seats			
	SEATING CAPACITY min.	3	
	SPLIT FRONT BENCH SEAT	COMPLY	
Safety			
	POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY	
	RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY	
	FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	NA	
Suspension			
	SUSPENSION/SHOCKS	COMPLY	
Tires and Wheels			
	LOAD RANGE	F	
	SPARE TIRE ASSEMBLY	FULL SIZE	
	TIRES	225/70R19.5	
Warranty			
	OEM CORROSION WARRANTY	3/36,000	
	OEM POWERTRAIN WARRANTY	3/36,000	
	OEM COMPREHENSIVE WARRANTY	3/36,000	

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR	INCREASE GVWR	_____	N/A	\$_____
Cab to Axle				
CA1	CAB TO AXLE LENGTH 108 IN	_____	Stand Alone	\$_____

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, CAB FORWARD, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

CA3	CAB TO AXLE LENGTH 136-138 IN	_____	Stand Alone	\$ _____
CA4	CAB TO AXLE LENGTH 120 IN	_____	Stand Alone	\$ _____
CA5	CAB TO AXLE LENGTH 126 IN	_____	N/A	\$ _____

Alternative Fuel Engines

FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	\$ _____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$ _____

Transmission

T6	6-SPEED MANUAL TRANSMISSION	_____	N/A	\$ _____
-----------	-----------------------------	-------	-----	----------

Transmission Accessories

PT	POWER TAKE OFF OPENING	_____	Stand Alone	\$ _____
-----------	------------------------	-------	-------------	----------

Drive Axle

D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	\$ _____
-----------	-----------------------	-------	-------------	----------

Exterior

SP	SKID PLATE	_____	N/A	\$ _____
-----------	------------	-------	-----	----------

Paint

BPC	BODY PAINT COLOR	_____	Stand Alone	\$ _____
------------	------------------	-------	-------------	----------

Doors and Windows

RKE	REMOTE KEYLESS ENTRY	_____	N/A	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____

Interior

DA	DELETE AIR CONDITIONING	_____	Stand Alone	\$ _____
SK	METRIC ODOMETER	_____	Stand Alone	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Standard	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____

Tires and Wheels

PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	\$ _____

Towing

FTH	FRONT TOW HOOKS	_____	Stand Alone	\$ _____
------------	-----------------	-------	-------------	----------

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
------------	-------------------------------------	-------	-------------	----------

Delivery outside CONUS

CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	\$ _____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	\$ _____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	N/A	\$ _____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	\$ _____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	N/A	\$ _____

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, CAB FORWARD, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

DDRG	DEALER DELIVERY GUAM	_____	N/A	\$_____
DDRH	DEALER DELIVERY HAWAII	_____	N/A	\$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	N/A	\$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$_____
-------------	-----------------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	\$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	\$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____

Solicitation Number: M8-091004-N**4X2 STRIPPED CHASSIS, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
75E.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: W42

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	Standard
MFG. MODEL CODE	W42
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12000
WHEEL BASE min. in.	133

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	TBD
HORSEPOWER (min)	TBD
TORQUE (lb ft)	TBD
COOLING SYSTEM	Comply

Transmission

AUTOMATIC TRANSMISSION	4 speed w/ OD
------------------------	---------------

Electrical

ALTERNATOR, MIN. (Amps)	145
BATTERY, MIN. (CCA)	690

Fuel

FUEL CAPACITY MIN GALLONS	40
---------------------------	----

Lights and Lighting

DAYTIME RUNNING LIGHTS	Comply
------------------------	--------

Interior

POWER STEERING	Comply
----------------	--------

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	Comply
---------------------------------------	--------

Suspension

Solicitation Number: M8-091004-N**4X2 STRIPPED CHASSIS, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

SUSPENSION/SHOCKS

Comply

Tires and Wheels

LOAD RANGE

F

SPARE TIRE ASSEMBLY

Full Size

TIRES

LT225/70R19.5/AS

Warranty

OEM POWERTRAIN WARRANTY

3 yr / 36,000 mile

OEM COMPREHENSIVE WARRANTY

3 yr / 36,000 mile

Optional Equipment**Add Ship****OEM Data****Option Prices****Body/Chassis****WB59** WHEEL BASE, NOMINAL, 158 in

N/A

\$ _____

Engines**YD** DIESEL ENGINE

N/A,N/A,N/A

\$ _____

E5 UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE

8/6.0,307,357

\$ _____

Alternative Fuel Engines**FB20** BIO DIESEL (B20) COMPATIBLE ENGINE

N/A

\$ _____

E85 ETHANOL FLEXIBLE FUEL

N/A

\$ _____

Engine Accessories**OLS** OIL LIFE SYSTEM

N/A

\$ _____

EH ENGINE BLOCK HEATER, OEM

Stand Alone

\$ _____

Transmission Accessories**PT** POWER TAKE OFF OPENING

N/A

\$ _____

Rear Axle Differential**D3** SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC

N/A

\$ _____

Drive Axle**D7** TOWING/MOUNTAIN RATIO

Standard

\$ _____

Fuel**AF1** CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)

N/A

\$ _____

Interior**SK** METRIC ODOMETER

Stand Alone

\$ _____

TS TILT STEERING

Standard

\$ _____

CR CRUISE CONTROL

Standard

\$ _____

Tires and Wheels**PLAB** TIRE PRESSURE MONITORING SYSTEM

N/A

\$ _____

TD DELETE SPARE TIRE ASSEMBLY

Stand Alone

\$ _____

TT ALL TERRAIN TREAD--REAR TIRES ONLY

Stand Alone

\$ _____

Delivery**CNS** CONSIGNEE DELIVERY (NO DEALER PREP)

Stand Alone

\$ _____

Delivery outside CONUS

Solicitation Number: M8-091004-N**4X2 STRIPPED CHASSIS, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	\$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	\$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	N/A	\$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	\$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	N/A	\$_____
DDRH	DEALER DELIVERY HAWAII	_____	N/A	\$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	N/A	\$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	\$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	\$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Solicitation Number: M8-091004-N

4X2 STRIPPED CHASSIS, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
75F.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: W42

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	Standard
MFG. MODEL CODE	W42
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	14500
WHEEL BASE min. in.	157

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8 / 4.8
HORSEPOWER (min)	255
TORQUE (lb ft)	285
COOLING SYSTEM	Comply

Transmission

AUTOMATIC TRANSMISSION	4 speed w/ OD & HDAC
------------------------	----------------------

Electrical

ALTERNATOR, MIN. (Amps)	145
BATTERY, MIN. (CCA)	690

Fuel

FUEL CAPACITY MIN GALLONS	40
---------------------------	----

Lights and Lighting

DAYTIME RUNNING LIGHTS	Comply
------------------------	--------

Interior

POWER STEERING	Comply
----------------	--------

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	Comply
---------------------------------------	--------

Suspension

Solicitation Number: M8-091004-N**4X2 STRIPPED CHASSIS, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

SUSPENSION/SHOCKS

Comply

Tires and Wheels

LOAD RANGE

F

SPARE TIRE ASSEMBLY

Full Size

TIRES

LT225/70R19.5/AS

Warranty

OEM POWERTRAIN WARRANTY

3 yr / 36,000 mile

OEM COMPREHENSIVE WARRANTY

3 yr / 36,000 mile

Optional Equipment**Add Ship****OEM Data****Option Prices*****Engines*****YD** DIESEL ENGINE

6/4.5,200,440

\$ _____

E5 UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE

8/6.0,307,357

\$ _____

Alternative Fuel Engines**FB20** BIO DIESEL (B20) COMPATIBLE ENGINE

Package

\$ _____

E85 ETHANOL FLEXIBLE FUEL

N/A

\$ _____

Engine Accessories**EH** ENGINE BLOCK HEATER, OEM

Stand Alone

\$ _____

Transmission Accessories**PT** POWER TAKE OFF OPENING

N/A

\$ _____

Rear Axle Differential**D3** SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC

N/A

\$ _____

Drive Axle**D7** TOWING/MOUNTAIN RATIO

Standard

\$ _____

Fuel**AF1** CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)

N/A

\$ _____

Interior**SK** METRIC ODOMETER

Stand Alone

\$ _____

TS TILT STEERING

Standard

\$ _____

CR CRUISE CONTROL

Standard

\$ _____

Tires and Wheels**PLAB** TIRE PRESSURE MONITORING SYSTEM

N/A

\$ _____

TD DELETE SPARE TIRE ASSEMBLY

Stand Alone

\$ _____

TT ALL TERRAIN TREAD--REAR TIRES ONLY

Stand Alone

\$ _____

Delivery**CNS** CONSIGNEE DELIVERY (NO DEALER PREP)

Stand Alone

\$ _____

Delivery outside CONUS**CNSA** CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)

N/A

\$ _____

CNSG CONSIGNEE DELIVERY GUAM (NO DEALER PREP)

N/A

\$ _____

CNSH CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)

N/A

\$ _____

Solicitation Number: M8-091004-N**4X2 STRIPPED CHASSIS, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	\$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	N/A	\$_____
DDRH	DEALER DELIVERY HAWAII	_____	N/A	\$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	N/A	\$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	\$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	\$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Solicitation Number: M8-091004-N

4X2 STRIPPED CHASSIS, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
75G.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: W62

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	Standard
MFG. MODEL CODE	W62
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	19500
WHEEL BASE min. in.	178

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8 / 6.0
HORSEPOWER (min)	300
TORQUE (lb ft)	357
COOLING SYSTEM	Comply

Transmission

AUTOMATIC TRANSMISSION	5 speed w/ OD & HDAC
------------------------	----------------------

Electrical

ALTERNATOR, MIN. (Amps)	130
BATTERY, MIN. (CCA)	690

Fuel

FUEL CAPACITY MIN GALLONS	40
---------------------------	----

Lights and Lighting

DAYTIME RUNNING LIGHTS	Comply
------------------------	--------

Interior

POWER STEERING	Comply
----------------	--------

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	Comply
---------------------------------------	--------

Suspension

Solicitation Number: M8-091004-N**4X2 STRIPPED CHASSIS, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

SUSPENSION/SHOCKS

Comply

Tires and Wheels

LOAD RANGE

F

SPARE TIRE ASSEMBLY

Full Size

TIRES

245/70R19.5

Warranty

OEM POWERTRAIN WARRANTY

3 yr / 36,000 mile

OEM COMPREHENSIVE WARRANTY

3 yr / 36,000 mile

Optional Equipment**Add Ship****OEM Data****Option Prices*****Engines*****YD** DIESEL ENGINE

6/4.5,200,440

\$ _____

E5 UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE

N/A,N/A,N/A

\$ _____

Alternative Fuel Engines**FB20** BIO DIESEL (B20) COMPATIBLE ENGINE

Package

\$ _____

E85 ETHANOL FLEXIBLE FUEL

N/A

\$ _____

Engine Accessories**EH** ENGINE BLOCK HEATER, OEM

Stand Alone

\$ _____

Transmission Accessories**PT** POWER TAKE OFF OPENING

Stand Alone

\$ _____

Rear Axle Differential**D3** SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC

N/A

\$ _____

Drive Axle**D7** TOWING/MOUNTAIN RATIO

Standard

\$ _____

Fuel**AF1** CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)

N/A

\$ _____

Interior**SK** METRIC ODOMETER

Stand Alone

\$ _____

TS TILT STEERING

Standard

\$ _____

CR CRUISE CONTROL

Standard

\$ _____

Tires and Wheels**PLAB** TIRE PRESSURE MONITORING SYSTEM

N/A

\$ _____

TD DELETE SPARE TIRE ASSEMBLY

Stand Alone

\$ _____

TT ALL TERRAIN TREAD--REAR TIRES ONLY

Stand Alone

\$ _____

Delivery**CNS** CONSIGNEE DELIVERY (NO DEALER PREP)

Stand Alone

\$ _____

Delivery outside CONUS**CNSA** CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)

N/A

\$ _____

CNSG CONSIGNEE DELIVERY GUAM (NO DEALER PREP)

N/A

\$ _____

CNSH CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)

N/A

\$ _____

Solicitation Number: M8-091004-N**4X2 STRIPPED CHASSIS, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	\$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	N/A	\$_____
DDRH	DEALER DELIVERY HAWAII	_____	N/A	\$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	N/A	\$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	\$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	\$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____

Solicitation Number: M8-091004-N**4X2 CAB FORWARD DRY CARGO VAN, MIN 10,001 LBS GVWR, ELECTRIC IN ACCORDANCE WITH FEDERAL STANDARDS
DATED JULY 1, 2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
95E.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: Workhorse EV95

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TILT CAB	Comply
TRIM LEVEL	Base
MFG. MODEL CODE	WEV
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12,000

Cab to Axle

CAB TO AXLE, INCHES	141.7
---------------------	-------

Engine Minimums

HORSEPOWER (min)	102(76KW)
TORQUE (lb ft)	212

Alternative Fuel Engines

ELECTRIC BATTERY POWERED VEHICLE	LITHIUM ION
----------------------------------	-------------

Electrical

CHARGER - ON BOARD BATTERY	Comply
----------------------------	--------

Exterior

EXTRA WIDE MIRRORS	Comply
--------------------	--------

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	Comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	Comply
------------------------	--------

Interior

TILT STEERING	Comply
AIR CONDITIONING	N/A

Solicitation Number: M8-091004-N**4X2 CAB FORWARD DRY CARGO VAN, MIN 10,001 LBS GVWR, ELECTRIC IN ACCORDANCE WITH FEDERAL STANDARDS
DATED JULY 1, 2009**

	POWER STEERING	Comply		
	UPHOLSTERY	CLOTH		
Floor				
	FLOOR COVERING	COMPLY		
Radio				
	AM/FM RADIO WITH COMPACT DISC PLAYER	Comply		
Seats				
	SEATING CAPACITY min.	2		
	SPLIT FRONT BENCH SEAT	Bucket		
Safety				
	POWER ANTILOCK BRAKES, FRONT AND REAR	Comply		
	RESTRAINT SYSTEM, ALL SEATED POSITIONS	Comply		
	FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	Comply		
Suspension				
	SUSPENSION/SHOCKS	Comply		
Tires and Wheels				
	LOAD RANGE	F		
	SPARE TIRE ASSEMBLY	Comply		
	TIRES	205/75R17.5		
Vendor Furnished Body Items				
	BODY LENGTH, 12 FT	Comply		
	ROLL-UP REAR DOOR	Comply		
	HEIGHT INTERIOR, 84 IN	Comply		
	WOOD FLOORING	Comply		
	FLAT CARGO FLOOR	Comply		
	FIBERGLASS DELIVERY VAN BODY	Comply		
Warranty				
	BATTERY PACK WARRANTY	5YR/60,000 MILE		
	OEM CORROSION WARRANTY	5YR/100,000 MILE		
	OEM POWERTRAIN WARRANTY	5YR/60,000 MILE		
	OEM COMPREHENSIVE WARRANTY	3YR/36,000 MILE		
	CONTRACTOR COMPREHENSIVE WARRANTY	1YR/12,000 MILE		
Optional Equipment		Add Ship	OEM Data	Option Prices
Paint				
BPC	BODY PAINT COLOR	_____	Stand Alone	\$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Stand Alone	\$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	\$_____
Interior				

Solicitation Number: M8-091004-N**4X2 CAB FORWARD DRY CARGO VAN, MIN 10,001 LBS GVWR, ELECTRIC IN ACCORDANCE WITH FEDERAL STANDARDS
DATED JULY 1, 2009**

CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____

Tires and Wheels

AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	\$ _____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	Stand Alone	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____

Vendor Furnished Body Items

AHV	AUXILIARY CARGO COMPARTMENT HEATER	_____	Stand Alone	\$ _____
B14	BODY LENGTH, 14 FT	_____	Stand Alone	\$ _____
B16	BODY LENGTH, 16 FT	_____	Stand Alone	\$ _____
B18	BODY LENGTH, 18 FT	_____	Stand Alone	\$ _____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Stand Alone	\$ _____
BDK	DOCK BUMPER	_____	Stand Alone	\$ _____
BR	TRANSLUCENT ROOF	_____	Stand Alone	\$ _____
BRT	INTERIOR ROPE TIES	_____	Stand Alone	\$ _____
BSF	SMOOTH STEEL FLOOR	_____	Stand Alone	\$ _____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	\$ _____
CRT	CARGO RESTRAINING TRACK	_____	Stand Alone	\$ _____
DOM	2 CEILING DOME LIGHTS	_____	Stand Alone	\$ _____
DSH	HINGED SIDE DOOR	_____	Stand Alone	\$ _____
DSR	ROLL UP SIDE DOOR	_____	Stand Alone	\$ _____
DVAL	DELIVERY VAN ALUMINUM BODY	_____	Stand Alone	\$ _____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Stand Alone	\$ _____
DVE	HEIGHT INTERIOR, 78 IN	_____	Stand Alone	\$ _____
DVG	DRIVER'S FAN	_____	Stand Alone	\$ _____
HTGR	RAIL TYPE LIFT GATE	_____	Stand Alone	\$ _____
ILF	INTERIOR LINING	_____	Stand Alone	\$ _____
ILH	PARTIAL INTERIOR LINING	_____	Stand Alone	\$ _____
IR4	INSULATION, CARGO BODY	_____	Stand Alone	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
LEDV	BODY EXTERIOR DOT LIGHTING, LED	_____	Stand Alone	\$ _____
RCA	CARGO RAILS	_____	Stand Alone	\$ _____
SSD	SIDE DOOR STEPS	_____	Stand Alone	\$ _____
TLR	LOADING RAMPS	_____	Stand Alone	\$ _____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	\$ _____

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
------------	-------------------------------------	-------	-------------	----------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	\$ _____

Solicitation Number: M8-091004-N**4X2 CAB FORWARD DRY CARGO VAN, MIN 10,001 LBS GVWR, ELECTRIC IN ACCORDANCE WITH FEDERAL STANDARDS
DATED JULY 1, 2009**

PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	\$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____

Solicitation Number: M8-091004-N**4X2 CAB FORWARD DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUNE 2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
95K.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: KL4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TILT CAB	Comply
TRIM LEVEL	COMPLY
MFG. MODEL CODE	KL4500
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000

Cab to Axle

CAB TO AXLE, INCHES	84
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/4.5
HORSEPOWER (min)	200
TORQUE (lb ft)	440
COOLING SYSTEM	Comply

Engines

DIESEL ENGINE	Comply
---------------	--------

Engine Accessories

ENGINE BLOCK HEATER, OEM	Comply
--------------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5 speed
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	Rear
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	135
BATTERY, MIN. (CCA)	1800

Solicitation Number: M8-091004-N**4X2 CAB FORWARD DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUNE 2009****Fuel**

FUEL CAPACITY MIN GALLONS	40
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	Comply
--------------------	--------

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	Comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	Comply
------------------------	--------

Interior

AIR CONDITIONING	Comply
POWER STEERING	Comply
UPHOLSTERY	Comply

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	Comply
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	Comply

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	Comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	Comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	N/A

Suspension

SUSPENSION/SHOCKS	Comply
-------------------	--------

Tires and Wheels

LOAD RANGE	F
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70R19.5

Vendor Furnished Body Items

BODY LENGTH, 12 FT	COMPLY
BACK-UP ALARM	COMPLY
ROLL-UP REAR DOOR	COMPLY
HEIGHT INTERIOR, 84 IN	COMPLY
WOOD FLOORING	COMPLY
FLAT CARGO FLOOR	COMPLY
FIBERGLASS DELIVERY VAN BODY	COMPLY
CONCENTRATED FLOOR LOAD (Min, Lbs)	1300

Solicitation Number: M8-091004-N**4X2 CAB FORWARD DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JI 2009****Warranty**

OEM CORROSION WARRANTY	3 yr / 36,000 mile
OEM POWERTRAIN WARRANTY	3 yr / 36,000 mile
OEM COMPREHENSIVE WARRANTY	3 yr / 36,000 mile
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment**Add Ship****OEM Data****Option Prices****Transmission Accessories****PT** POWER TAKE OFF OPENING

_____ Stand Alone \$ _____

Drive Axle**D7** TOWING/MOUNTAIN RATIO

_____ Stand Alone \$ _____

Paint**BPC** BODY PAINT COLOR

_____ Stand Alone \$ _____

Doors and Windows**RKE** REMOTE KEYLESS ENTRY

_____ Package \$ _____

PWL POWER WINDOWS & DOOR LOCKS

_____ Package \$ _____

Interior**DA** DELETE AIR CONDITIONING

_____ Stand Alone \$ _____

SK METRIC ODOMETER

_____ Stand Alone \$ _____

TS TILT STEERING

_____ Standard \$ _____

CR CRUISE CONTROL

_____ Standard \$ _____

CU CLOTH UPHOLSTERY

_____ Stand Alone \$ _____

Tires and Wheels**TD** DELETE SPARE TIRE ASSEMBLY

_____ Stand Alone \$ _____

TT ALL TERRAIN TREAD--REAR TIRES ONLY

_____ Stand Alone \$ _____

Towing**FTH** FRONT TOW HOOKS

_____ Stand Alone \$ _____

Vendor Furnished Body Items**AHV** AUXILIARY CARGO COMPARTMENT HEATER

_____ Stand Alone \$ _____

B14 BODY LENGTH, 14 FT

_____ Package \$ _____

B16 BODY LENGTH, 16 FT

_____ Package \$ _____

B18 BODY LENGTH, 18 FT

_____ Package \$ _____

BDF DIAMOND TREAD STEEL FLOOR

_____ Package \$ _____

BDK DOCK BUMPER

_____ Stand Alone \$ _____

BR TRANSLUCENT ROOF

_____ Stand Alone \$ _____

BRT INTERIOR ROPE TIES

_____ Stand Alone \$ _____

BSF SMOOTH STEEL FLOOR

_____ Package \$ _____

CMS CROSSVIEW MIRROR SYSTEM

_____ Stand Alone \$ _____

CRT CARGO RESTRAINING TRACK

_____ Stand Alone \$ _____

DOM 2 CEILING DOME LIGHTS

_____ Stand Alone \$ _____

Solicitation Number: M8-091004-N**4X2 CAB FORWARD DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JANUARY 2009**

DSH	HINGED SIDE DOOR	_____	Package	\$ _____
DSR	ROLL UP SIDE DOOR	_____	Package	\$ _____
DVAL	DELIVERY VAN ALUMINUM BODY	_____	Stand Alone	\$ _____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Package	\$ _____
DVE	HEIGHT INTERIOR, 78 IN	_____	Stand Alone	\$ _____
DVG	DRIVER'S FAN	_____	Stand Alone	\$ _____
HTGR	RAIL TYPE LIFT GATE	_____	Package	\$ _____
HTP	POWER CLOSE LIFT GATE	_____	Package	\$ _____
ILF	INTERIOR LINING	_____	Package	\$ _____
ILH	PARTIAL INTERIOR LINING	_____	Package	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
LEDV	BODY EXTERIOR DOT LIGHTING, LED	_____	Stand Alone	\$ _____
RCA	CARGO RAILS	_____	Stand Alone	\$ _____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	\$ _____
SOC	STORAGE OVER CAB	_____	Stand Alone	\$ _____
SSD	SIDE DOOR STEPS	_____	Stand Alone	\$ _____
TLR	LOADING RAMPS	_____	Package	\$ _____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	\$ _____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$ _____
-------------	-------------------------	-------	-------------	----------

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$ _____
-------------	-----------------------------------	-------	-------------	----------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	\$ _____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	\$ _____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$ _____

Solicitation Number: M8-091004-N**4X2 CAB FORWARD DRY CARGO VAN, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUNE 2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
95L.1	4 / 1			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: KL5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TILT CAB	COMPLY
TRIM LEVEL	COMPLY
MFG. MODEL CODE	KL05500
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	19500

Cab to Axle

CAB TO AXLE, INCHES	86
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/4.5
HORSEPOWER (min)	200
TORQUE (lb ft)	440
COOLING SYSTEM	COMPLY

Engines

DIESEL ENGINE	COMPLY
---------------	--------

Engine Accessories

ENGINE BLOCK HEATER, OEM	COMPLY
--------------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5 SP
------------------------	------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	135
BATTERY, MIN. (CCA)	1800

Solicitation Number: M8-091004-N**4X2 CAB FORWARD DRY CARGO VAN, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUNE 2009****Fuel**

FUEL CAPACITY MIN GALLONS	40
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
--------------------	--------

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	COMPLY

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	N/A

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	225/70R19.5

Vendor Furnished Body Items

BODY LENGTH, 12 FT	COMPLY
BACK-UP ALARM	COMPLY
ROLL-UP REAR DOOR	COMPLY
WOOD FLOORING	COMPLY
FLAT CARGO FLOOR	COMPLY
FIBERGLASS DELIVERY VAN BODY	COMPLY
CONCENTRATED FLOOR LOAD (Min, Lbs)	COMPLY

Warranty

Solicitation Number: M8-091004-N**4X2 CAB FORWARD DRY CARGO VAN, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

OEM CORROSION WARRANTY	3/36,000
OEM POWERTRAIN WARRANTY	3/36,000
OEM COMPREHENSIVE WARRANTY	3/36,000
CONTRACTOR COMPREHENSIVE WARRANTY	1/12,000

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, CAB FORWARD, MIN 14,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
124K	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: KL4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TILT CAB	COMPLY
TRIM LEVEL	COMPLY
MFG. MODEL CODE	KL04500
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000

Cab to Axle

CAB TO AXLE, INCHES	84
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/4.5
HORSEPOWER (min)	200
TORQUE (lb ft)	440
COOLING SYSTEM	COMPLY

Engines

DIESEL ENGINE	COMPLY
---------------	--------

Engine Accessories

ENGINE BLOCK HEATER, OEM	COMPLY
--------------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5 SP
------------------------	------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	135
BATTERY, MIN. (CCA)	1800

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, CAB FORWARD, MIN 14,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2****Fuel**

FUEL CAPACITY MIN GALLONS	40
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
--------------------	--------

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	COMPLY

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	N/A

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	225/70R19.5

Vendor Furnished Body Items

BODY LENGTH, 12 FT	Comply
BACK-UP ALARM	COMPLY

Warranty

OEM CORROSION WARRANTY	3/36,000
OEM POWERTRAIN WARRANTY	3/36,000
OEM COMPREHENSIVE WARRANTY	3/36,000
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CAB FORWARD, MIN 16,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
124L	1 / 1			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: KL5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TILT CAB	COMPLY
TRIM LEVEL	COMPLY
MFG. MODEL CODE	KL05500
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	19500

Cab to Axle

CAB TO AXLE, INCHES	86
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/4.5
HORSEPOWER (min)	200
TORQUE (lb ft)	440
COOLING SYSTEM	COMPLY

Engines

DIESEL ENGINE	COMPLY
---------------	--------

Engine Accessories

ENGINE BLOCK HEATER, OEM	COMPLY
--------------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5 SP
------------------------	------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	135
BATTERY, MIN. (CCA)	1800

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, CAB FORWARD, MIN 16,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2****Fuel**

FUEL CAPACITY MIN GALLONS	40
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
--------------------	--------

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	COMPLY

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	N/A

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	225/70R19.5

Vendor Furnished Body Items

BODY LENGTH, 12 FT	COMPLY
BACK-UP ALARM	COMPLY

Warranty

OEM CORROSION WARRANTY	3/36,000
OEM POWERTRAIN WARRANTY	3/36,000
OEM COMPREHENSIVE WARRANTY	3/36,000
CONTRACTOR COMPREHENSIVE WARRANTY	1/12,000

Solicitation Number: M8-091004-N**4X2 MULTISTOP VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
134.1	143 / 78			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: W42**Assembly Point:** _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	Standard
MFG. MODEL CODE	W42
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12000
WHEEL BASE min. in.	133

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	TBD
HORSEPOWER (min)	TBD
TORQUE (lb ft)	TBD
COOLING SYSTEM	COMPLY

Transmission

AUTOMATIC TRANSMISSION	4 SPEED W/ OD
------------------------	---------------

Electrical

ALTERNATOR, MIN. (Amps)	145
BATTERY, MIN. (CCA)	630

Fuel

FUEL CAPACITY MIN GALLONS	40
---------------------------	----

Exterior

REAR VIEW MIRRORS	COMPLY
-------------------	--------

Doors and Windows

DOORS	Comply
KEYED DOOR LOCKS	Comply
WIPERS-WINDSHIELD-INTERMITTENT	Comply

Lights and Lighting

Solicitation Number: M8-091004-N**4X2 MULTISTOP VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

	DAYTIME RUNNING LIGHTS	Comply
Interior		
	AIR CONDITIONING	Comply
	UPHOLSTERY	Comply
	POWER STEERING	Comply
Floor		
	FLOOR COVERING	Comply
Radio		
	AM/FM RADIO WITH COMPACT DISC PLAYER	Comply
Seats		
	SEATING CAPACITY min.	Comply
Safety		
	RESTRAINT SYSTEM, ALL SEATED POSITIONS	Comply
	FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	Comply
	POWER ANTILOCK BRAKES, FRONT AND REAR	Comply
Suspension		
	SUSPENSION/SHOCKS	Comply
Tires and Wheels		
	LOAD RANGE	F
	SPARE TIRE ASSEMBLY	FULL SIZE
	TIRES	LT225/70R19.5/AS
Vendor Furnished Body Items		
	STEP TYPE REAR BUMPER	Comply
	BACK-UP ALARM	Comply
	INTERIOR PARTITION, SOLID TYPE	Comply
	CARGO BODY LENGTH 12 FT	Comply
Warranty		
	OEM POWERTRAIN WARRANTY	3 yr / 36,000 mile
	OEM COMPREHENSIVE WARRANTY	3 yr / 36,000 mile
	CONTRACTOR COMPREHENSIVE WARRANTY	3 yr / 36,000 mile

Solicitation Number: M8-091004-N**4X2 MULTISTOP VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
134B.1	45 / 8			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: W42

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE:

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	STANDARD
MFG. MODEL CODE	W42
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	14500
WHEEL BASE min. in.	157

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8 / 4.8
HORSEPOWER (min)	255
TORQUE (lb ft)	285
COOLING SYSTEM	COMPLY

Transmission

AUTOMATIC TRANSMISSION	4 speed w/ OD & HDA
------------------------	---------------------

Electrical

ALTERNATOR, MIN. (Amps)	145
BATTERY, MIN. (CCA)	690

Fuel

FUEL CAPACITY MIN GALLONS	40
---------------------------	----

Exterior

REAR VIEW MIRRORS	COMPLY
-------------------	--------

Doors and Windows

DOORS	COMPLY
KEYED DOOR LOCKS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

Solicitation Number: M8-091004-N**4X2 MULTISTOP VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

	DAYTIME RUNNING LIGHTS	COMPLY
<i>Interior</i>		
	AIR CONDITIONING	COMPLY
	UPHOLSTERY	COMPLY
	POWER STEERING	COMPLY
<i>Floor</i>		
	FLOOR COVERING	COMPLY
<i>Radio</i>		
	AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
<i>Seats</i>		
	SEATING CAPACITY min.	COMPLY
<i>Safety</i>		
	RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
	FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
	POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
<i>Suspension</i>		
	SUSPENSION/SHOCKS	COMPLY
<i>Tires and Wheels</i>		
	LOAD RANGE	F
	SPARE TIRE ASSEMBLY	FULL SIZE
	TIRES	LT225/70R19.5/AS
<i>Vendor Furnished Body Items</i>		
	STEP TYPE REAR BUMPER	COMPLY
	BODY LENGTH, 14 FT	COMPLY
	BACK-UP ALARM	COMPLY
	INTERIOR PARTITION, SOLID TYPE	COMPLY
<i>Warranty</i>		
	OEM POWERTRAIN WARRANTY	3 yr / 36,000 mile
	OEM COMPREHENSIVE WARRANTY	3 yr / 36,000 mile
	CONTRACTOR COMPREHENSIVE WARRANTY	3 yr / 36,000 mile

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 10,001 LBS GVWR, ELECTRIC IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
134E.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: Workhorse EV

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	STD
MFG. MODEL CODE	EV
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12000
WHEEL BASE min. in.	141.7

Engine Minimums

HORSEPOWER (min)	102(76KW)
TORQUE (lb ft)	212

Alternative Fuel Engines

ELECTRIC BATTERY POWERED VEHICLE	51 KW LI-ION
----------------------------------	--------------

Electrical

CHARGER - ON BOARD BATTERY	COMPLY
----------------------------	--------

Exterior

REAR VIEW MIRRORS	COMPLY
-------------------	--------

Doors and Windows

DOORS	2
KEYED DOOR LOCKS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	n/a
UPHOLSTERY	CLOTH
POWER STEERING	COMPLY

Solicitation Number: M8-091004-N**4X2 MULTISTOP VAN, MIN 10,001 LBS GVWR, ELECTRIC IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1****Floor**

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	2
-----------------------	---

Safety

RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
--	--------

FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
---	--------

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
---------------------------------------	--------

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
------------	---

SPARE TIRE ASSEMBLY	COMPLY
---------------------	--------

TIRES	205/75R15
-------	-----------

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	COMPLY
-----------------------	--------

BODY LENGTH, 12 FT	COMPLY
--------------------	--------

BACK-UP ALARM	COMPLY
---------------	--------

INTERIOR PARTITION, SOLID TYPE	COMPLY
--------------------------------	--------

Warranty

BATTERY PACK WARRANTY	5YR/60,000 MILE
-----------------------	-----------------

OEM POWERTRAIN WARRANTY	5YR/60,000 MILE
-------------------------	-----------------

OEM COMPREHENSIVE WARRANTY	3YR/36,000 MILE
----------------------------	-----------------

CONTRACTOR COMPREHENSIVE WARRANTY	1YR/12,000 MILE
-----------------------------------	-----------------

Optional Equipment**Add Ship****OEM Data****Option Prices****Paint**

BPC	BODY PAINT COLOR	_____	Stand Alone	\$ _____
-----	------------------	-------	-------------	----------

Interior

CUV	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
-----	------------------	-------	-------------	----------

DA	DELETE AIR CONDITIONING	_____	Stand Alone	\$ _____
----	-------------------------	-------	-------------	----------

DAV	DELETE AIR CONDITIONING	_____	Stand Alone	\$ _____
-----	-------------------------	-------	-------------	----------

TS	TILT STEERING	_____	Stand Alone	\$ _____
----	---------------	-------	-------------	----------

CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
----	----------------	-------	-------------	----------

Tires and Wheels

AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	\$ _____
----	------------------------	-------	-------------	----------

PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	Stand Alone	\$ _____
------	---------------------------------	-------	-------------	----------

TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
----	----------------------------	-------	-------------	----------

Solicitation Number: M8-091004-N**4X2 MULTISTOP VAN, MIN 10,001 LBS GVWR, ELECTRIC IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1**

TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	\$_____
-----------	------------------------------------	-------	-------------	---------

WLP	WHEELS, PAINTED CAB COLOR	_____	Stand Alone	\$_____
------------	---------------------------	-------	-------------	---------

Vendor Furnished Body Items

B14	BODY LENGTH, 14 FT	_____	Stand Alone	\$_____
------------	--------------------	-------	-------------	---------

B16	BODY LENGTH, 16 FT	_____	Stand Alone	\$_____
------------	--------------------	-------	-------------	---------

BR	TRANSLUCENT ROOF	_____	Stand Alone	\$_____
-----------	------------------	-------	-------------	---------

BRT	INTERIOR ROPE TIES	_____	Stand Alone	\$_____
------------	--------------------	-------	-------------	---------

CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	\$_____
------------	-------------------------	-------	-------------	---------

CRT	CARGO RESTRAINING TRACK	_____	Stand Alone	\$_____
------------	-------------------------	-------	-------------	---------

DPA	INTERIOR PARTITION, SCREEN TYPE	_____	Stand Alone	\$_____
------------	---------------------------------	-------	-------------	---------

DPW	PARTITION DOOR WINDOW	_____	Stand Alone	\$_____
------------	-----------------------	-------	-------------	---------

DV6	CARGO BODY LENGTH 16 FT	_____	Stand Alone	\$_____
------------	-------------------------	-------	-------------	---------

DV8	CARGO BODY LENGTH 18 FT	_____	Stand Alone	\$_____
------------	-------------------------	-------	-------------	---------

DVC	ROLL-UP REAR DOOR	_____	Stand Alone	\$_____
------------	-------------------	-------	-------------	---------

DVD	FULL WIDTH DUAL REAR DOORS	_____	Stand Alone	\$_____
------------	----------------------------	-------	-------------	---------

DVE	HEIGHT INTERIOR, 78 IN	_____	Stand Alone	\$_____
------------	------------------------	-------	-------------	---------

DVE1	HEIGHT INTERIOR, 84 IN	_____	Stand Alone	\$_____
-------------	------------------------	-------	-------------	---------

DVF	WOOD FLOORING	_____	Stand Alone	\$_____
------------	---------------	-------	-------------	---------

DVG	DRIVER'S FAN	_____	Stand Alone	\$_____
------------	--------------	-------	-------------	---------

HTGR	RAIL TYPE LIFT GATE	_____	Stand Alone	\$_____
-------------	---------------------	-------	-------------	---------

ILF	INTERIOR LINING	_____	Stand Alone	\$_____
------------	-----------------	-------	-------------	---------

IR4	INSULATION, CARGO BODY	_____	Stand Alone	\$_____
------------	------------------------	-------	-------------	---------

J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$_____
-------------	--------------------------------------	-------	-------------	---------

MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	\$_____
------------	-----------------------------------	-------	-------------	---------

RCA	CARGO RAILS	_____	Stand Alone	\$_____
------------	-------------	-------	-------------	---------

VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	\$_____
------------	--------------------------	-------	-------------	---------

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$_____
------------	-------------------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
------------	----------------------	-------	-------------	---------

PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	\$_____
------------	---------------------------	-------	-------------	---------

PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	\$_____
-------------	---	-------	-------------	---------

PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____
-------------	---	-------	-------------	---------

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 16,0001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
134F.1	3 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: W62

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	STANDARD
MFG. MODEL CODE	W62
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	19500
WHEEL BASE min. in.	178

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/6.0
HORSEPOWER (min)	300
TORQUE (lb ft)	357
COOLING SYSTEM	COMPLY

Transmission

AUTOMATIC TRANSMISSION	5 speed w/ OD & HDAC
------------------------	----------------------

Electrical

ALTERNATOR, MIN. (Amps)	130
BATTERY, MIN. (CCA)	690

Fuel

FUEL CAPACITY MIN GALLONS	40
---------------------------	----

Exterior

REAR VIEW MIRRORS	COMPLY
-------------------	--------

Doors and Windows

DOORS	COMPLY
KEYED DOOR LOCKS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
DOORS	COMPLY

Solicitation Number: M8-091004-N**4X2 MULTISTOP VAN, MIN 16,0001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009****Lights and Lighting**

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
------------------	--------

UPHOLSTERY	COMPLY
------------	--------

POWER STEERING	COMPLY
----------------	--------

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	COMPLY
-----------------------	--------

Safety

RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
--	--------

FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
---	--------

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
---------------------------------------	--------

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
------------	---

SPARE TIRE ASSEMBLY	FULL SIZE
---------------------	-----------

TIRES	245/70R19.5
-------	-------------

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	COMPLY
-----------------------	--------

BODY LENGTH, 16 FT	COMPLY
--------------------	--------

BACK-UP ALARM	COMPLY
---------------	--------

INTERIOR PARTITION, SOLID TYPE	COMPLY
--------------------------------	--------

Warranty

OEM POWERTRAIN WARRANTY	3 yr / 36,000 mile
-------------------------	--------------------

OEM COMPREHENSIVE WARRANTY	3 yr / 36,000 mile
----------------------------	--------------------

CONTRACTOR COMPREHENSIVE WARRANTY	3 yr / 36,000 mile
-----------------------------------	--------------------

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 14,001 LBS GVWR, HEV IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 20

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
134H.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: W42

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	Standard
MFG. MODEL CODE	W42
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	14500
WHEEL BASE min. in.	157

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/4.8
HORSEPOWER (min)	255
TORQUE (lb ft)	285
COOLING SYSTEM	Comply

Alternative Fuel Engines

HYBRID ELECTRIC VEHICLE	COMPLY
-------------------------	--------

Transmission

AUTOMATIC TRANSMISSION	4 speed w/ OD & HDAC
------------------------	----------------------

Electrical

ALTERNATOR, MIN. (Amps)	145
BATTERY, MIN. (CCA)	690

Fuel

FUEL CAPACITY MIN GALLONS	40
---------------------------	----

Exterior

REAR VIEW MIRRORS	COMPLY
-------------------	--------

Doors and Windows

DOORS	2
KEYED DOOR LOCKS	COMPLY

Solicitation Number: M8-091004-N**4X2 MULTISTOP VAN, MIN 14,001 LBS GVWR, HEV IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 20**

WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	Comply
Interior	
AIR CONDITIONING	COMPLY
UPHOLSTERY	VINYL
POWER STEERING	Comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	2
Safety	
RESTRAINT SYSTEM, ALL SEATED POSITIONS	Comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	N/A
POWER ANTILOCK BRAKES, FRONT AND REAR	Comply
Suspension	
SUSPENSION/SHOCKS	Comply
Tires and Wheels	
LOAD RANGE	F
SPARE TIRE ASSEMBLY	Full Size
TIRES	LT225/70R19.5/AS
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 14 FT	COMPLY
BACK-UP ALARM	COMPLY
INTERIOR PARTITION, SOLID TYPE	COMPLY
Warranty	
BATTERY PACK WARRANTY	5/60000
OEM POWERTRAIN WARRANTY	3 yr / 36,000 mile
OEM COMPREHENSIVE WARRANTY	3 yr / 36,000 mile
CONTRACTOR COMPREHENSIVE WARRANTY	1/20000